	- 4	1
_	K	
7	ı١	
u		

	Application No.	Applicant(s)		
	09/914,947	EDWARDS ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Kimberly E Glenn	2817		
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOT of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with (OR REMAINS) CLOSED in the or other appropriate communi IGHTS. This application is sub	the correspondence address nis application. If not included cation will be mailed in due course. THIS		
1. ☑ This communication is responsive to <u>1/20/04</u> .				
2. The allowed claim(s) is/are 1-12.				
3. The drawings filed on 15 May 2003 are accepted by the Ex	kaminer.			
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application	No		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a IENT of this application.	reply complying with the requirements		
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give				
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the DEPOSIT OF and/or INFORMATION about the deposition of the processing processing in the processing processi	con's Patent Drawing Review (. s Amendment / Comment or in .84(c)) should be written on the he header according to 37 CFR	the Office action of drawings in the front (not the back) of 1.121(d).		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. Notice of References Cited (PTO-892)	5 Motion of later	mal Patent Application (PTO 452)		
Notice of References Cited (PTO-092) Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Infor	mal Patent Application (PTO-152)		
_	Paper No./Ma	ail Date .		
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	ಶ), 7. ∐ Examiner's An	nendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's St	atement of Reasons for Allowance		
of Biological Material	9.			

Application/Control Number: 09/914,947 Page 2

Art Unit: 2817

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art of record does not disclose or fairly teach a first pair of inputs positioned on the conductive plate for setting up there between a first standing wave supported by the conductive plate; a second pair of inputs positioned on the conductive plate for setting up there between a second standing wave supported by the conductive plate and positioned such that the input signal of each of the first and second pairs of inputs is unaffected by the state or impedance of the other of the first and second pairs of inputs.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly E Glenn whose telephone number is (571)-272-1761. The examiner can normally be reached on Monday-Friday 7:30 to 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Pascal can be reached on (571)-272-1769. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/914,947 Page 3

Art Unit: 2817

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kimberly E Glenn

Examiner Art Unit 2817

keg

Robert Pascus
Supervisory Patent Examiner

Technology Center 2800